

Rheem Smart Electric Water Heaters

WITH DEMAND RESPONSE

SMART
PROTECTION

SMART
DETECTION

SMART
OPERATION



Demand Response Program Ready

Prestige® Smart
Electric Water Heater
with LeakGuard™
and Demand Response

Classic Plus® Smart
Electric Water Heater
with LeakSense™
and Demand Response



Rheem® Smart Electric Water Heaters with Demand Response

SAVES ENERGY. HELPS PROTECT THE HOME.

Introducing the Rheem® demand response-ready, easily grid-connected Smart Electric Water Heaters. Homeowners and utility providers both benefit from optimized energy usage and demand management to lessen the strain on the energy grid—and the environment.

The unmatched Rheem® Smart Electric Water Heaters are full of built-in smart features to help prevent cold showers, alert homeowners to issues before there's no hot water and protect your customer's home from potential water damage. Plus, they're like-for-like replacements, and they're easy to install and service.



RHEEM PRESTIGE® SERIES SMART ELECTRIC WATER HEATER WITH DEMAND RESPONSE.

SMART PROTECTION

LeakGuard™ Protection

Help homeowners protect their homes from potential water damage with **automatic water shut-off**

SMART DETECTION

Built-in 360° LeakSense™ Leak Detection

Alerts homeowner about a leak before there's no hot water with a built-in leak detection system that detects any leak—large or small, internal or external³—in as little as 15 seconds⁶

Hot Water Availability Indicator

Allows the homeowner to check if they have enough hot water before they jump in the shower via the EcoNet App⁵

Element Health Indicator

Informs your homeowner if an element—and specifically which element—needs to be replaced so they can schedule a service call eliminating the emergency⁵



SMART OPERATION

Built-in EcoPort (CTA-2045 Port)

Connects to the electric grid to optimize energy usage and savings

Built-in EcoNet WiFi Technology

Homeowners can enjoy complete control—adjusting water temperature and tracking energy usage to setting Vacation / Away Mode⁵

Set Vacation or Away Mode

Homeowners can safely save energy and water heating costs while away and return home to a tank full of perfectly hot water

Water Temperature Control

Enable homeowners to effortlessly adjust water set temperature to balance hot water needs via the EcoNet App or hands-free voice control with Amazon Alexa or Google Home⁵

EASY TO INSTALL. EASY TO SERVICE.



Valve Quick-Release – If the actuator communication goes bad between the control and valve, you can replace it without touching the plumbing for simple, faster service



Leak Sensor Channel – Leak sensor replacement is easy by opening the bottom element cover and snaking the new leak sensor down the channel—360° protection, all from the front of the tank



Diagnostic Mode – Allows you to view diagnostic information via the Rheem Contractor App or EcoNet® App while at the water heater to expedite service⁵



Perfect for Replacement – Easy replacement with the same dimensions as a standard electric water heater and one-button startup



Self-Cleaning – Reduces sediment buildup to prolong tank life and maintain the water heater's efficiency and tank capacity



Element Health Indicator – Homeowners learn if an element is failing so you can proactively replace it before it becomes a problem²



Integrated EcoNet Monitoring with WiFi – Receive immediate notification of leaks and service needs through a mobile device via the EcoNet App²



Rheem® Prestige® Smart Electric Water Heater with LeakGuard™



Rheem® Classic Plus® Smart Electric Water Heater with LeakSense™

	Rheem® Prestige® Smart Electric Water Heater with LeakGuard™	Rheem® Classic Plus® Smart Electric Water Heater with LeakSense™
Size (Nominal Gals.)	40, 50 or 55	40, 50 or 55
Dual Stainless Steel Heating Elements (Watts)	4500 or 5500	4500
Built-in Leak Detection	✓	✓
Fully integrated EcoNet WiFi Technology	✓	✓
Built-in LeakGuard Auto Water Shut-off Valve	✓	✗ LeakGuard Kit Sold Separately (Part# SP21164)
Warranty	12-year limited tank & parts	8-years limited tank & parts (Upgradeable to 12 years for tank with Protection Plus® Kit)
Built-in Demand Response Ready Port	✓	✓

For more information, visit [Rheem.com/SmartElectric](https://www.Rheem.com/SmartElectric)

Rheem Smart Electric Water Heaters

WITH DEMAND RESPONSE

What Are Demand Response Programs?

Utility programs and regulations are driving voluntary customer participation in demand response programs to reduce energy demand during peak usage hours. This enables utilities to supply continuous and reliable power for homes and buildings.

With permission, a 3rd party communication module is installed in the water heater's EcoPort (CTA-2045 port). This allows the utility to adjust the water heater's electricity usage, reduce energy demand during peak periods and reduce CO₂ emissions. Built-in demand response saves money on energy bills by reducing usage during peak energy-demand hours. Plus, homeowners can take advantage of utility demand response program incentives and rebates.*

TOP VIEW OF PORT

EcoPort (CTA-2045 port)
This device allows your utility to connect to your water heater.



¹WiFi broadband connection and EcoNet App required; notifications are dependent on external factors beyond Rheem's control. EcoNet is a registered trademark of Rheem® Manufacturing company. ²LeakGuard is built-in for Rheem® Smart Electric Water Heater with LeakGuard models and available as an upgrade kit for Rheem® Smart Electric Water Heater with LeakSense models. ³Water leaks from the heater only, as tested across scenarios including a minimum of 5.5mL/min volume leak rate, using most common installation scenarios. ⁴WiFi broadband connection and Rheem® Contractor App required; connection between water heater and app dependent on external factors beyond Rheem's control. ⁵Source: Rheem® Leak-Sensing Data: Time starts when leak begins and ends when sensor alarm is triggered. ⁶Source: According to The Insurance Institute for Business & Home Safety. ⁷Source: Rheem® leak-sensing data; testing under a vacuum lock using 50 gallon tank, no expansion tank, average tank pressure of 40 PSI, assuming no additional faucets are opened.



Contact Us

Customer Service, Warranty, Parts

800.621.5622

Plumbing Support Team

866.339.2388

EcoNet® Technical Support

800.255.2388

Technical Service

800.HEATER3 (800.432.8373)



Visit us online at
[Rheem.com/SmartElectric](https://www.rheem.com/SmartElectric)
or see your local distributor.

Rheem Water Heating
1115 Northmeadow Pkwy
Roswell, GA 30076

In keeping with its policy of continuous progress & program improvement, Rheem reserves the right to make changes without notice.

Printed in the USA • 07/22 • WP • Form No. RH-PHP